

<b>⊑</b>  2	Contemporary Lighting™
-------------	---------------------------

Product Specifications for E22380-120PC						
	Job Name:	Job Type:				
	Quantity:	Comments				

E22380-120PC **Veil 5-Light Flush Mount** 

**Finish** Polished Chrome

Lamping

Number of Bulb(s) 5 **Light Type** Xenon **Bulb Type** G9 Max Bulb Wattage 60 **Max Fixture Wattage** 300 **Rated Life** ±2,000 Hours **Rated Lumens** ±4,000 **Color Temp** ±2,900 K Bulb(s) Included Yes Light Up/Down **Beam Spread** N/A N/A **Photo Cell Included** N/A

## Glass/Shade

No

Other

**UPC** Code

Material

Standard

#### Measurements Width 15.00" Height 13.75" Length N/A Extension N/A **Back Plate Width** N/A **Back Plate Height** N/A HCO N/A Min Overall Height N/A **Max Overall Height** N/A Hanging Weight 7.16 lb(s) Height Adjustable N/A Slope N/A Chain Length N/A Wire Length N/A Canopy Width Canopy Height N/A N/A Canopy Length N/A

# **Product Category**

Flush Mount

Shipp	ıng
Carto	n W

Shipp	ıng	
Carto	n Weight	10.76 lb(s)
Carto	n Width	17.00"
Carto	n Height	13.50"
Carto	n Length	17.00"
Carto	n Cubic Feet	N/A
Maste	r Pack	1
Maste	r Pack Weight	N/A
Maste	r Pack Width	N/A
Maste	r Pack Height	N/A
Maste	r Pack Length	N/A
Maste	r Cubic Feet	N/A
UPS S	Shippable	Yes

### Certification

Dimmable

Ballast/Driver/Transformer

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

### **Equivalents**

845094050544

N/A

ļ	Incandescent Watts	N/A
	Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2014 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.