

Product	Specifications	for	F94949-	146PC
FIOUUCI	Specifications	101	E94949-	1405

Job Name:	Job Type:
Quantity:	Comments



#### E94949-146PC

Confetti 4-Light RapidJack Pendant and Canopy

Finish	
Polished Chrome	

# Lamping

#### Number of Bulb(s) **Light Type** Xenon **Bulb Type** 12V GY6.35 T4 Max Bulb Wattage 50 **Max Fixture Wattage** 200 **Rated Life** ±2,000 Hours **Rated Lumens** ±3,000 **Color Temp** ±2,900 K Bulb(s) Included Yes Light Úp/Down N/A **Beam Spread** N/A N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No Dimmable Low-Voltage

#### Glass/Shade Clear/Mirror

Other

**UPC Code** 

Material

### Measurements Width

measurements	
Width	6.50"
Height	5.50"
Length	34.50"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	130.50"
Hanging Weight	6.52 lb(s)
Height Adjustable	Yes
Slope	N/A
Chain Length	N/A
Wire Length	120.00"
Canopy Width	4.5"
Canopy Height	2.5"
Canopy Length	34.5"

# **Product Category**

	Shipping	
"	Carton Weight	10.50 lb(s)
"	Carton Width	8.00'
"	Carton Height	14.50'
٩	Carton Length	40.50'
4	Carton Cubic Feet	N/A
٩	Master Pack	1
4	Master Pack Weight	N/A
٩	Master Pack Width	N/A
"	Master Pack Height	N/A
)	Master Pack Length	N/A
s	Master Cubic Feet	N/A
4	UPS Shippable	Yes
4		
••		

# Certification

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

## Equivalents

845094057994	Incandescent Watts	N/A
N/A	Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2014 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.