


Lighting Your Life Since 1970

Product Specifications - 11804ICBK			
Job Name:	Job Type:		
Quantity:	Comments		



11804ICBK Linda 3-Light Chandelier



Finish Black

Lamping

Number of Bulbs	3
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	300
Rated Life	±2,500 Hours
Rated Lumens	±3,450
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Glass/Sha	de
loo	

Measurements	
Width	19.00"
Height	21.50"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	10.10 lbs
Height Adjustable	N/A
Clama	NI/A

Slope N/A Chain Length 36" Wire Length 180" **Canopy Width** N/A **Canopy Height** N/A **Canopy Length** N/A

Product Category Mini Chandelier

Shinning

Shipping	
Carton Weight	11.50 lbs
Carton Width	18'
Carton Height	8'
Carton Length	19'
Carton Cubic Feet	1.61
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

(C	er	tii	IC	at	10	n

Certification		Other	
Safety Rating	Dry	UPC Code	783209020733
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Iron

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.