


Lighting Your Life Since 1970

Product Specifications - 12050WTSN				
Job Name:		Job Type:		
Quantity:		Comments		



12050WTSN **Nexus 3-Light Flush Mount**



Finish Satin Nickel

Lamping

Number of Bulbs 3 **Light Type** Incandescent **Bulb Type** MB Max Bulb Wattage 60 Max Fixture Wattage 180 **Rated Life** ±2,500 Hours **Rated Lumens** ±2,016 Color Temp ±2,700 K Not Included Bulb(s) Light Up/Down N/A Beam Spread N/A CRI N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No Dimmable Standard

Glass/Shade

White

Othor

Measurements

Width	17.50"
Height	8.75"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	6.86 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Flush Mount

Shinning

Jilippilig	
Carton Weight	12.13 lbs
Carton Width	18"
Carton Height	14"
Carton Length	18"
Carton Cubic Feet	2.58
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Cartification

Certification		Other
Safety Rating	Dry	UPC Code
Energy Star	No	Shades Included
CA Title 24	No	Crystals Included
CA Title 20	No	Diffuser Included
ADA	No	Conversion Kit
Dark Sky	N/A	Material

Equivalents

783209075047

N/A N/A N/A N/A N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.