

Lighting Your Life Since 1970

Product Specifications - 13566CFAF		
Job Name:	Job Type:	
Quantity:	Comments	



13566CFAF Augusta 9-Light Chandelier

rınısn	
Auburn	Florentine

Lamping

Number of Bulbs 9 **Light Type** Incandescent **Bulb Type** MB Max Bulb Wattage 100 Max Fixture Wattage 900 Rated Life ±2,500 Hours **Rated Lumens** ±10,350 Color Temp ±2,700 K Bulb(s) Not Included Light Up/Down N/A Beam Spread N/A N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No **Dimmable** Standard

Glass/Shade

Cafe

Measurements

Width 34.50" Height 48.00" Length N/A Extension N/A **Back Plate Width** N/A **Back Plate Height** N/A HCO N/A Min Overall Height 0.00" Max Overall Height N/A **Hanging Weight** 46.20 lbs **Height Adjustable** N/A Slope N/A **Chain Length** 72" Wire Length 180" **Canopy Width** N/A **Canopy Height** N/A **Canopy Length** N/A

Product Category

Multi-Tier Chandelier

Shipping	
Carton Weight	59.58 lbs
Carton Width	15"
Carton Height	45"
Carton Length	37"
Carton Cubic Feet	13.78
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Oversize

Certification

Other Dry UPC Code Safety Rating **Shades Included Energy Star** No CA Title 24 **Crystals Included** CA Title 20 No Diffuser Included **ADA Conversion Kit** No Dark Sky N/A Material

Equivalents

783209054097

N/A

N/A

N/A

Steel

Optional

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.