

Lighting Your Life Since 1970

	Product Specifications - 21514FTSN		
ı	Job Name:	Job Type:	
ĺ	Quantity:	Comments	



21514FTSN Finesse 4-Light Bath Vanity



Finish Satin Nickel

Lamping

=amping	
Number of Bulbs	4
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	400
Rated Life	±2,500 Hours
Rated Lumens	±4,600
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

lass		

Canopy Length

Frosted

Measurements	
\A/; d4b	22.00

Width	32.00"
Height	8.75"
Length	N/A
Extension	7"
Back Plate Width	6.50"
Back Plate Height	3.75"
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	11.73 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A

Product Category

Bath Vanity

~'	11r	۱n	ın	\sim	
J	пр	ıμ	ш	ч	

Cilipping	
Carton Weight	16.62 lbs
Carton Width	15
Carton Height	9
Carton Length	32
Carton Cubic Feet	2.28
Master Pack	•
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Certification		Other	
Safety Rating	Damp	UPC Code	783209083967
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	N/A

Equivalents

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.