

Lighting Your Life Since 1970

Product Specifications - 22268EMFL		
Job Name:	Job Type:	
Quantity:	Comments	



22268EMFL

Dresden 15-Light Chandelier

H	ın	ıs	n
Fi	lh	۵rl	ŀ

Lamping **Number of Bulbs**

Light Type Incandescent **Bulb Type** MB Max Bulb Wattage Max Fixture Wattage Rated Life ±2,500 Hours **Rated Lumens** ±5,100 Color Temp ±2,700 K Bulb(s) Not Included

Beam Spread **Photo Cell Included** Ballast/Driver/Transformer **Dimmable**

Glass/Shade Ember

15

N/A

N/A

N/A

N/A

No

Standard

Measurements Width

47.00" Height 53.00" Length N/A Extension N/A **Back Plate Width** N/A **Back Plate Height** N/A HCO N/A Min Overall Height 0.00" Max Overall Height N/A **Hanging Weight** 57.23 lbs **Height Adjustable** N/A Slope N/A **Chain Length** 72" Wire Length 180" **Canopy Width** N/A **Canopy Height** N/A

Product Category

Multi-Tier Chandelier

Shippina

Shipping	
Carton Weight	87.03 lbs
Carton Width	18"
Carton Height	51"
Carton Length	49"
Carton Cubic Feet	24.80
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	

Certification

Light Up/Down

Safety Rating Dry **Energy Star** No CA Title 24 No CA Title 20 No **ADA** No Dark Sky N/A

Canopy Length

Otner		
UPC Code	783209062757	
Shades Included	N/A	
Crystals Included	Yes	
Diffuser Included	N/A	
Conversion Kit	N/A	
Material	Steel	

Equivalents

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.