

Lighting Your Life Since 1970

Product Specifications - 25027MSKACP			
Job Name:	Job Type:		
Quantity:	Comments		



25027MSKACP

Mini Hi-Bay 1-Light Pendant

Finish
Antique Copper

Lamping

Dimmable

Lamping	
Number of Bulbs	1
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	60
Rated Life	
Rated Lumens	±0
Color Temp	
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A

Ballast/Driver/Transformer

Glass/Shade Mirror Smoke

Measurements

Canopy Length

wiatii	10.00
Height	6.50"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	65.75"
Hanging Waight	4.40 lbo

Min Overall Height 0.00" Max Overall Height 65.75" Hanging Weight 4.40 lbs Height Adjustable N/A Slope 120° Chain Length N/A Wire Length 78" Canopy Width N/A Canopy Height N/A

Product Category

Single Pendant

Shipping

Shipping	
Carton Weight	5.50 lbs
Carton Width	13"
Carton Height	12"
Carton Length	13"
Carton Cubic Feet	1.09
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification	Other

Safety Rating	Dry	UPC Code	783209005303
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	N/A

No

N/A

Equivalents

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.