

## Lighting Your Life Since 1970

	Product Specifications - 25042SN		
I	Job Name:	Job Type:	
ĺ	Quantity:	Comments	



## 25042SN Mini Hi-Bay 1-Light Pendant

**Finish** Satin Nickel

Lamping

**Bulb Type** 

Rated Life **Rated Lumens** 

Color Temp Bulb(s)

Light Up/Down

**Beam Spread** 

**Dimmable** 

**Photo Cell Included** 

Ballast/Driver/Transformer

Number of Bulbs **Light Type** 

Max Bulb Wattage

Max Fixture Wattage

Glass/Shade

Incandescent

Not Included

MB

60

60

±0

N/A N/A

N/A

N/A

No

N/A

## Single Pendant

Measurements

incusul cilicitis	
Width	11.00"
Height	5.75"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	50.00"
Hanging Weight	4.20 lbs
Height Adjustable	N/A
Slope	120°
Chain Length	N/A
Wire Length	36"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

# **Product Category**

Shipping	
Carton Weight	5.00 lbs
Carton Width	13"
Carton Height	11"
Carton Length	13"
Carton Cubic Feet	0.99
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

### Certification

#### Other Dry UPC Code 783209011052 Safety Rating **Energy Star** No Shades Included N/A CA Title 24 **Crystals Included** N/A No CA Title 20 No Diffuser Included N/A **ADA** Conversion Kit N/A No Dark Sky N/A Material Metal

# **Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.