

Lighting Your Life Since 1970

Product Specifications - 25069MSKPN/BUI			
	Job Name:	Job Type:	
	Quantity:	Comments	



Finish Polished N

Polished Nickel

Lamping

Number of Bulbs	
Light Type	Incandescen
Bulb Type	ME
Max Bulb Wattage	60
Max Fixture Wattage	60
Rated Life	
Rated Lumens	±(
Color Temp	
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N//

Glass/Shade Mirror Smoke

	Measurements	
1	Width	8.75"
nt	Height	11.50"
IB	Length	N/A
60	Extension	10"
60	Back Plate Width	6.00"
	Back Plate Height	6.00"
±0	НСО	N/A
	Min Overall Height	N/A
ed	Max Overall Height	N/A
'A	Hanging Weight	5.00 lbs
'A	Height Adjustable	N/A
'A	Slope	N/A
Ά	Chain Length	N/A
10	Wire Length	N/A
/A	Canopy Width	
	Canopy Height	
	Canopy Length	N/A

25069MSKPN/BUI

Mini Hi-Bay 1-Light Wall Sconce W/Bulb

Product Category Wall Sconce

	Shipping	
'5"	Carton Weight	5.00 lbs
50"	Carton Width	13"
/A	Carton Height	15"
0"	Carton Length	13"
0"	Carton Cubic Feet	1.31
0"	Master Pack	1
/A	Master Pack Weight	N/A
/A	Master Pack Width	N/A
/A	Master Pack Height	N/A
bs	Master Pack Length	N/A
/A	Master Cubic Feet	N/A
I/A	UPS Shippable	Yes
/A		
/A		

Certification Other Equivalents Safety Rating Dry UPC Code 783209025318 Incandescent Watts N/A Fluorescent Watts Energy Star Shades Included N/A No N/A CA Title 24 No Crystals Included N/A CA Title 20 Diffuser Included N/A No ADA **Conversion Kit** N/A No Dark Sky N/A Material Metal

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.