

## Lighting Your Life Since 1970

Product Specifications - 25087MSKSN		
Job Name:	Job Type:	
Quantity:	Comments	



#### 25087MSKSN Mini Hi-Bay 1-Light Wall Sconce

**Finish** Satin Nickel

Lamping

# Number of Bulbs **Light Type**

Incandescent **Bulb Type** MB Max Bulb Wattage 60 Max Fixture Wattage 60 Rated Life **Rated Lumens** +0 Color Temp Bulb(s) Not Included Light Up/Down **Beam Spread** N/A N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No **Dimmable** N/A

# Glass/Shade

Mirror Smoke

## Measurements

Width 10.00" Height 9.00" Length N/A Extension 11" **Back Plate Width** 6.00" **Back Plate Height** 6.00" HCO N/A Min Overall Height 0.00" Max Overall Height N/A **Hanging Weight** 4.00 lbs **Height Adjustable** N/A Slope N/A **Chain Length** N/A Wire Length N/A **Canopy Width Canopy Height Canopy Length** N/A

#### **Product Category** Wall Sconce

### Shinning

Shipping	
Carton Weight	5.00 lbs
Carton Width	13"
Carton Height	11"
Carton Length	13"
Carton Cubic Feet	0.99
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

#### Certification

#### Other **UPC Code** Safety Rating Dry Shades Included **Energy Star** No CA Title 24 **Crystals Included** CA Title 20 No Diffuser Included **ADA Conversion Kit** No Dark Sky N/A Material

#### **Equivalents**

783209014404

N/A

N/A

N/A

N/A

Metal

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.