

Lighting Your Life Since 1970

Product Specifications - 27525UD			
Job Name:	Job Type:		
Quantity:	Comments		



27525UD Saki 1-Light LED Pendant

Finish Uddo

Lamping
Number of Bulbs

Number of Buids	1
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	10
Max Fixture Wattage	10
Rated Life	
Rated Lumens	±0
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	Standard/Lutron® CL or Leviton® LED Recommended

Glass/Shade

Measurements

measurements	
Width	21.00"
Height	18.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	150.00"
Hanging Weight	17.60 lbs
Height Adjustable	N/A
Slope	120°
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Entry Foyer Pendant

Shipping

Jilippilig	
Carton Weight	22.00 lbs
Carton Width	26'
Carton Height	23'
Carton Length	26'
Carton Cubic Feet	9.44
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

	Other	
Dry	UPC Code	783209111240
No	Shades Included	N/A
No	Crystals Included	N/A
No	Diffuser Included	N/A
No	Conversion Kit	N/A
N/A	Material	Wood
	No No No No	No Shades Included No Crystals Included No Diffuser Included No Conversion Kit

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.