


Lighting Your Life Since 1970

Product Specifications - 39701CLPC				
Job Name:	Job Type:			
Quantity:	Comments			



39701CLPC Swizzle 20-Light Flush Mount



Finish Polished Chrome

Lamping **Number of Bulbs** 20 **Light Type** Xenon Bulb Type G9 Max Bulb Wattage 25 Max Fixture Wattage 500 Rated Life ±2,000 Hours **Rated Lumens** ±4,800 Color Temp ±2,900 K Bulb(s) Included Light Up/Down N/A **Beam Spread** N/A CRI N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No Dimmable Standard

Glass/Shade Clear

Measurements	
Width	25.25"
Height	9.25"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	29.04 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category Flush Mount

Shipping **Carton Weight** 32.56 lbs **Carton Width** 24" **Carton Height** 18" Carton Length 24" Carton Cubic Feet 5.72 **Master Pack Master Pack Weight** N/A Master Pack Width N/A **Master Pack Height** N/A **Master Pack Length** N/A N/A **Master Cubic Feet UPS Shippable** Yes

Certification		Other		Equivalents
Safety Rating	Dry	UPC Code	783209097186	Incandescent
Energy Star	No	Shades Included	N/A	Fluorescent \
CA Title 24	No	Crystals Included	Yes	
CA Title 20	No	Diffuser Included	N/A	
ADA	No	Conversion Kit	N/A	
Dark Sky	N/A	Material	N/A	

Incandescent Watts N/A
Fluorescent Watts N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.