


Lighting Your Life Since 1970

Product Specifications - 39720RBPC			
Job Name:	Job Type:		
Quantity:	Comments		



39720RBPC Mimi LED 12-Light Semi-Flush Mount



Finish Polished Chrome

Lamping	
Number of Bulbs	12
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	1
Max Fixture Wattage	12
Rated Life	±40,000 Hours
Rated Lumens	±996
Color Temp	±3,500 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	>80
Photo Cell Included	N/A
Ballast/Driver/Transforme	r Yes
Dimmable	Lutron® CL or Leviton® LED Dimmer

Glass/Shade	
Root Beer	

Measurements	
Width	34.00"
Height	18.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	23.10 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	10"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Semi-Flush Mount

Shipping

Jilippilig	
Carton Weight	30.50 lbs
Carton Width	30"
Carton Height	12"
Carton Length	30"
Carton Cubic Feet	6.25
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification		Other	
Safety Rating	Dry	UPC Code	783209098220
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	N/A

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.