


## Lighting Your Life Since 1970

Product Specifications - 39798JCLB			
Job Name:	Job Type:		
Quantity:	Comments		



## 39798JCLB Fifth Avenue 3-Light Wall Sconce





*Finish*Luster Bronze

Lamping

Number of Bulbs	3
Light Type	Xenon
Bulb Type	G9
Max Bulb Wattage	40
Max Fixture Wattage	120
Rated Life	
Rated Lumens	±0
Color Temp	
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

Glass/Shade		
Jewel Crystal		

Measurements	
Width	11.00"
Height	9.00"
Length	N/A
Extension	5"
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	8.87 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

## **Product Category**Bath Vanity

Shipping	
Carton Weight	12.76 lbs
Carton Width	13"
Carton Height	10"
Carton Length	16"
Carton Cubic Feet	1.17
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes
C. C Cppub.c	1 00

Cofety Dating	Dny	LIDC Code	702200110122	Incondoccon
Certification		Other		Equivalents

Safety Rating	Dry	UPC Code	783209118423	Incand
Energy Star	No	Shades Included	N/A	Fluore
CA Title 24	No	Crystals Included	N/A	
CA Title 20	No	Diffuser Included	N/A	
ADA	No	Conversion Kit	N/A	
Dark Sky	N/A	Material	N/A	

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.