

## Lighting Your Life Since 1970

	Product Specifications - 39841PN					
J	ob Name:	Job Type:				
Q	Quantity:	Comments				

**Equivalents** 

**Incandescent Watts** 

Fluorescent Watts

N/A

N/A

783209099173

N/A

N/A

N/A

Metal

Optional



Certification

**Safety Rating** 

**Energy Star** 

CA Title 24

CA Title 20

Dark Sky

**ADA** 

## 39841PN

**Tempest 5-Light Flush Mount** 

Finish Polished Nickel		Glass/Shade		<b>Product Category</b> Flush Mount	
Lamping		Measurements		Shipping	
Number of Bulbs	5	Width	24.00"	Carton Weight	19.40 lbs
Light Type	Xenon	Height	15.00"	Carton Width	27"
Bulb Type	G9	Length	N/A	Carton Height	12"
Max Bulb Wattage	40	Extension	N/A	Carton Length	27"
Max Fixture Wattage	200	Back Plate Width	N/A	Carton Cubic Feet	4.90
Rated Life		Back Plate Height	N/A	Master Pack	1
Rated Lumens	±4,000	HCO	N/A	Master Pack Weight	N/A
Color Temp		Min Overall Height	0.00"	Master Pack Width	N/A
Bulb(s)	Included	Max Overall Height	N/A	Master Pack Height	N/A
Light Up/Down	N/A	Hanging Weight	12.76 lbs	Master Pack Length	N/A
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	N/A
CRI	N/A	Slope	N/A	UPS Shippable	Yes
Photo Cell Included	N/A	Chain Length	N/A		
Ballast/Driver/Transformer	No	Wire Length	N/A		
Dimmable	N/A	Canopy Width	N/A		
		Canopy Height	N/A		
		Canopy Length	N/A		

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Other

Dry UPC Code

Material

No

No

No

No

N/A

Shades Included

**Crystals Included** 

Diffuser Included

**Conversion Kit** 

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.