

Lighting Your Life Since 1970

Product Specifications - 55019LTES		
Job Name:	Job Type:	
Quantity:	Comments	



55019LTES **Odessa LED 1-Light Outdoor Hanging** Lantern

Finish Espresso

Lamping

Lamping	
Number of Bulbs	1
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	11
Max Fixture Wattage	11
Rated Life	
Rated Lumens	±900
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

Glass/Shade

Latte

Measurements	
Width	11.50"
Height	23.00"
Length	11.50"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	10.60 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Outdoor Hanging Lantern

9	hi	n	ni	n	a	
9	ш	М	γı	"	y	

Jilippilig	
Carton Weight	13.80 lbs
Carton Width	13"
Carton Height	14"
Carton Length	31"
Carton Cubic Feet	3.16
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Certification	
Safety Rating	Damp
Energy Star	No
CA Title 24	Yes
CA Title 20	No
ADA	No
Dark Sky	N/A

_ (1)	м	h	Δ	r
_	ч	ш	C	

Other	
UPC Code	783209119260
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	N/A

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.