


Lighting Your Life Since 1970

	Product Specifications - 5831FTSN		
Job Name:		Job Type:	
	Quantity:	Comments	



5831FTSN **Essentials 2-Light Flush Mount**



Finish Satin Nickel

Lamping

=amping	
Number of Bulbs	2
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	120
Rated Life	±2,500 Hours
Rated Lumens	±1,344
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Glass/Sh	nade
Frantad	

Frosted

1//0	-	uro	ma	nte

measurements	
Width	13.50"
Height	6.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	0.00"
Max Overall Height	6.00"
Hanging Weight	2.65 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Flush Mount

Shippina

Jilippilig		
Carton Weigl	ht	4.08 lbs
Carton Width	ì	14'
Carton Heigh	ıt	6
Carton Lengt	th	14'
Carton Cubic	Feet	0.63
Master Pack		1
Master Pack	Weight	N/A
Master Pack	Width	N/A
Master Pack	Height	N/A
Master Pack	Length	N/A
Master Cubic	Feet	N/A
UPS Shippab	ole	Yes

Certification		Other	
Safety Rating	Dry	UPC Code	783209583153
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Iron

₽q	uı	va	len	Its

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.