

Lighting Your Life Since 1970

Product Specifications - 5840MROI			
Job Name:	Job Type:		
Quantity:	Comments		



5840MROI Essentials 1-Light Flush Mount

Finish	
Oil Rubbed	Bronze

Lamping

Number of Bulbs Light Type Incandescent Bulb Type MB Max Bulb Wattage 60 Max Fixture Wattage 60 Rated Life ±2,500 Hours **Rated Lumens** ±672 Color Temp ±2,700 K Bulb(s) Not Included Light Up/Down N/A **Beam Spread** N/A N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No Dimmable Standard

Glass/Shade

Measurements Width

Back Plate Width

Back Plate Height

Min Overall Height

Max Overall Height

Hanging Weight

Wire Length

Canopy Width

Canopy Height

Canopy Length

Height Adjustable

Marble

Height

Length

HCO

Slope **Chain Length**

Extension

Product Category

N/A

N/A

N/A

N/A

Flush Mount

Shinning

	Shipping	
11.50"	Carton Weight	3.50 lbs
6.00"	Carton Width	13"
N/A	Carton Height	6"
N/A	Carton Length	13"
N/A	Carton Cubic Feet	0.63
N/A	Master Pack	1
N/A	Master Pack Weight	N/A
0.00"	Master Pack Width	N/A
N/A	Master Pack Height	N/A
2.25 lbs	Master Pack Length	N/A
N/A	Master Cubic Feet	N/A
N/A	UPS Shippable	Yes
N/A		

Certification Other

Octanication		Othici	
Safety Rating	Dry	UPC Code	783209584099
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Iron

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.