

## Lighting Your Life Since 1970

Product Specifications - 8012FTOI				
Job Name:	Job Type:			
Quantity:	Comments			

**Equivalents** 

**Incandescent Watts** 

Fluorescent Watts

N/A

N/A

783209057760

N/A

N/A

N/A

N/A

Aluminum



Certification

**Safety Rating** 

**Energy Star** 

CA Title 24

CA Title 20

Dark Sky

**ADA** 

## 8012FTOI Essentials 2-Light Bath Vanity

Finish Oil Rubbed Bronze		Glass/Shade Frosted		<b>Product Category</b> Bath Vanity	
Lamping		Measurements	40.00	Shipping	
Number of Bulbs		Width	18.00"	9	4.20 lbs
Light Type	Incandescent	Height	7.00"	Carton Width	9"
Bulb Type	MB	Length	N/A	Carton Height	8"
Max Bulb Wattage	100	Extension	8"	Carton Length	20"
Max Fixture Wattage	200	Back Plate Width	18.00"	Carton Cubic Feet	0.73
Rated Life	±2,500 Hours	Back Plate Height	4.75"	Master Pack	1
Rated Lumens	±2,300	<del>_</del>	4.07"	Master Pack Weight	N/A
Color Temp	±2,700 K	Min Overall Height	0.00"	Master Pack Width	N/A
Bulb(s)	Not Included		N/A	Master Pack Height	N/A
Light Up/Down	Both	Hanging Weight	3.50 lbs	Master Pack Length	N/A
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	N/A
CRI	N/A	Slope	N/A	UPS Shippable	Yes
Photo Cell Included	N/A	Chain Length	N/A		
Ballast/Driver/Transformer	No	Wire Length	N/A		
Dimmable	Standard	Canopy Width	N/A		
		Canopy Height	N/A		
		Canopy Length	N/A		

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Other

**Shades Included** 

**Crystals Included** 

Diffuser Included

Conversion Kit

Material

Damp UPC Code

No

No

No

No

N/A

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.