

Lighting Your Life Since 1970

	Product Specifications - 85509LACO		
Job Name: Job Type:			
	Quantity:	Comments	



85509LACO Balboa DC EE 1-Light Large Outdoor Hanging

Finish Copper Oxide

Lamping

Lamping	
Number of Bulbs	1
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	26
Max Fixture Wattage	26
Rated Life	
Rated Lumens	±1,760
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

G	las:	s/S	ha	de

Lace

ory	ateg	Ca	t	luc	od	ro

Outdoor Hanging Lantern

M	SIJ		

weasurements	
Width	12.00"
Height	17.25"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	10.56 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shinning

Shipping	
Carton Weight	11.66 lbs
Carton Width	15"
Carton Height	15"
Carton Length	28"
Carton Cubic Feet	3.58
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Certification		Other
Safety Rating	Damp	UPC Code
Energy Star	No	Shades Included
CA Title 24	No	Crystals Included
CA Title 20	No	Diffuser Included
ADA	No	Conversion Kit
Dark Sky	N/A	Material

Equivalents

783209112995

N/A

N/A N/A N/A DIE CAST **ALUMINUM**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.