

## Lighting Your Life Since 1970

Product Specifications - 85803WSOI		
Job Name:	Job Type:	
Quantity:	Comments	

**Product Category** 

Invert Bowl Pendant

30.00 lbs

24"

23"

27"

8.45

N/A

N/A

N/A

N/A N/A

**Shipping** Carton Weight

**Carton Width** 

**Carton Height** 

**Carton Length** 

Master Pack Master Pack Weight

Carton Cubic Feet

Master Pack Width

**Master Pack Height** 

**Master Pack Length** 

Master Cubic Feet UPS Shippable

25.00"

180"

N/A

N/A

N/A



## 85803WSOI

Linda EE 4-Light Invert Bowl Pendant

**Finish**Oil Rubbed Bronze

Lamping

Certification

Safety Rating

=amping	
Number of Bulbs	4
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	13
Max Fixture Wattage	52
Rated Life	±10,000 Hours
Rated Lumens	±3,600
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	81-82
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	No

Glass/Shade	
Wilshire	

Mea	sure	eme	nts

Wire Length Canopy Width

**Canopy Height** 

**Canopy Length** 

Other

Dry UPC Code

Width

Height	31.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	67.00"
Hanging Weight	22.93 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	36"

## Fauivalent

	Equivalents	
783209028265	Incandescent Watts	327
N/A	Fluorescent Watts	N/A
N/A		
N/A		
N/A		
Iron		

Energy Star	No Shades Included	N/A
CA Title 24	Yes Crystals Included	N/A
CA Title 20	No Diffuser Included	N/A
ADA	No Conversion Kit	N/A
Dark Skv	N/A Material	Iron

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.