

## Lighting Your Life Since 1970

Product Specifications - 85807ICOI					
Job Name:	Job Type:				
Quantity:	Comments				



## 85807ICOI Linda EE 1-Light Wall Sconce





**Finish** Oil Rubbed Bronze

Lamping

=ampmg	
Number of Bulbs	1
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	13
Max Fixture Wattage	13
Rated Life	±10,000 Hours
Rated Lumens	±900
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	Both
Beam Spread	N/A
CRI	81-82
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	No

Glass/Shade	
Ice	

Measurements

weasurements	
Width	6.00"
Height	9.50"
Length	N/A
Extension	8"
Back Plate Width	5.50"
Back Plate Height	5.50"
НСО	6.50"
Min Overall Height	0.00"
Max Overall Height	9.50"
Hanging Weight	2.05 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

## **Product Category**

Wall Sconce

Shipping	
Carton Weight	3.30 lbs
Carton Width	8'
Carton Height	10'
Carton Length	10'
Carton Cubic Feet	0.39
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification Other **Equivalents** 

				_ 7	
Safety Rating	Dry	UPC Code	783209115965	Incandescent Watts	82
Energy Star	Yes	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	Yes	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Iron		

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.