

Lighting Your Life Since 1970

	Product Specifications - 86014LTES		
۱	Job Name:	Job Type:	
ĺ	Quantity:	Comments	



86014LTES

Odessa EE 1-Light Outdoor Wall Lantern



Finish Espresso

Lamping

Lamping	
Number of Bulbs	1
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	18
Max Fixture Wattage	18
Rated Life	±10,000 Hours
Rated Lumens	±1,355
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	81-82
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	No

G	lass/Shade	

Latte

Me	as	III	en	ner	nte

Width	9.00"
Height	21.50"
Length	N/A
Extension	13"
Back Plate Width	4.50"
Back Plate Height	12.00"
HCO	10.00"
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	6.60 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Outdoor Wall Mount

Shipping

Jilippilig	
Carton Weight	9.13 lbs
Carton Width	15"
Carton Height	11"
Carton Length	25"
Carton Cubic Feet	2.39
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Safety Rating Wet I **Energy Star** Yes CA Title 24 Yes CA Title 20 No **ADA** No Dark Sky N/A

Other		
UPC Code	783209099524	
Shades Included	N/A	
Crystals Included	N/A	
Diffuser Included	N/A	
Conversion Kit	N/A	
Material	Die Cast Aluminum	

Equivalents

Incandescent Watts	123
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.