



Lighting Your Life Since 1970

Product Specifications - 87544WTSN

Job Name:	Job Type:
Quantity:	Comments:



87544WTSN

Linear LED Flush Mount

Also available in a fluorescent version in the Linear EE collection. View it [here](#).

Finish

Satin Nickel

Glass/Shade

White

Product Category

Flush Mount

Lamping

Number of Bulbs	1
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	18
Max Fixture Wattage	18
Rated Life	±40,000 Hours
Rated Lumens	±1,900
Color Temp	±3,000 K
Bulb(s)	Integrated
Light Up/Down	N/A
Beam Spread	N/A
CRI	>80
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	NO

Measurements

Width	14.00"
Height	3.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	4.03 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping

Carton Weight	5.10 lbs
Carton Width	15"
Carton Height	6"
Carton Length	15"
Carton Cubic Feet	0.83
Master Pack	6
Master Pack Weight	33.48 lbs
Master Pack Width	15.75"
Master Pack Height	19.13"
Master Pack Length	31.00"
Master Cubic Feet	5.41
UPS Shippable	Yes

Certification

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No
Dark Sky	N/A

Other

UPC Code	783209097476
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Metal

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.