

Lighting Your Life Since 1970

Product Specifications - 87617WTWT			
Job Name:	Job Type:		
Quantity:	Comments		



87617WTWT **Convert LED Flush Mount**

Finish	
White	

Lamping Number of Bulbs

Light Type LED **Bulb Type** LED Max Bulb Wattage 15 Max Fixture Wattage 15 **Rated Life Rated Lumens** ±1,100 **Color Temp** ±4,000 K Bulb(s) Included Light Up/Down N/A N/A **Beam Spread** 80 **Photo Cell Included** N/A

Ballast/Driver/Transformer No Standard/Lutron® CL **Dimmable** or Leviton® LED Recommended

Glass/Shade

White

Product Category Flush Mount

00		rol	m	201	-
ea	่อน	ı eı	1116	21 I I	

Measurements	
Width	8.00"
Height	1.10"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	1.80 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A

Shipping

Cilipping	
Carton Weight	2.55 lbs
Carton Width	9"
Carton Height	4"
Carton Length	9"
Carton Cubic Feet	0.20
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

N/A N/A

Certification

Other

Canopy Length

Equivalents

N/A

Safety Rating	Damp	UPC Code	783209111479	Incandescent Watts	
Energy Star	No	Shades Included	N/A	Fluorescent Watts	
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	N/A		

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.