

Lighting Your Life Since 1970

Product Specifications - 88272BGSST			
Job Na	ame:	Job Type:	
Quanti	ity:	Comments	



88272BGSST **Moda LED Outdoor Wall Sconce**

Finish Stainless Steel

Lamping

Number of Bulbs	
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	9
Max Fixture Wattage	
Rated Life	
Rated Lumens	±600
Color Temp	±3,500 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	Standard/Lutron® CL or Leviton® LED Recommended

Glass/Shade
Bubble Glass

Measurements

medodi emento	
Width	7.00"
Height	12.00"
Length	N/A
Extension	2"
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	6.60 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A

Wire Length N/A **Canopy Width** N/A **Canopy Height** N/A **Canopy Length** N/A

Product Category

Wall Sconce

Shipping	
Carton Weight	11.15 lbs
Carton Width	7"
Carton Height	18"
Carton Length	8"
Carton Cubic Feet	0.58
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification		Other	
Safety Rating	Wet	UPC Code	783209111561
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	Yes	Conversion Kit	N/A
Dark Sky	N/A	Material	Stainless Steel

Eq	uı	val	len	ts

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.