

Lighting Your Life Since 1970

Product Specifications - 883901		
Job Name:	Job Type:	
Quantity:	Comments	



8839OI

Grove 2-Light Wall Sconce

Finish Oil Rubbed Bronze

1 2	m	n	ın	\sim	
La	,,,	w		u	

Lamping	
Number of Bulbs	2
Light Type	Incandescent
Bulb Type	CA
Max Bulb Wattage	60
Max Fixture Wattage	120
Rated Life	±1,500 Hours
Rated Lumens	±1,344
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	Up
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard Dimmer

Glass/Shade

Canopy Length

Measurements	
Width	10.00"
Height	30.00"
Length	N/A
Extension	8"
Back Plate Width	4.75"
Back Plate Height	7.25"
НСО	15.50"
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	3.39 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A

Product Category

Wall Sconce

Sh	ipping	
Ca	rton Weight	6.50 lbs
Ca	rton Width	14'
Ca	rton Height	10
Ca	rton Length	33
Ca	rton Cubic Feet	2.55
Ma	ster Pack	1
Ma	ster Pack Weight	N/A
Ma	ster Pack Width	N/A
Ma	ster Pack Height	N/A
Ma	ster Pack Length	N/A
Ma	ster Cubic Feet	N/A
UP	S Shippable	Yes

ertification	Other

Ocidification		Other	
Safety Rating	Dry	UPC Code	783209883901
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Steel

Equivalents

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.