## WAFER LED LINEAR I SURFACE MOUNT

## 57742 / 57743


- Edge-Lit Technology
- Aluminum extruded body for better heat dissipation
- Available in 3000K / 4000K color temperature
- Approved for use in closets and storage spaces
- Suitable for Closets according to NEC Section 410.8 & 410.16
- Dimmable with ELV dimmer at 120V
- 120-277 Input Voltage
- Energy Star listed
- Easy to install: Fits 4" Outlet Box
- Not recommended for pancake box
- Suitable for Wet location
- ETL/cETL IP65

Job Name : \_\_\_\_\_ Job Type : \_\_\_\_\_ Quantity : \_\_\_\_\_ Comments :



## **PRODUCT DESCRIPTION**

Wafer was designed for the discriminate consumer who wants the low profile look of recessed without the high cost. Manufactured of die cast aluminum, Wafer brings ultimate heat dissipation to its edge lit technology. Edge lighting gives very even light distribution while dispersing heat over a larger area. The result of this is longer LED life and better light diffusion.



**MEASUREMENTS** DIMENSIONS

Model Color Ter	mp. Lur	nens
LAMPING INPUT VOLTAGE BULB DIMMABLE CRI	: 120-277V : 18W PCB LEI : ELV Dimmer : 90+	D (Integrated) at 120V
HANGING WEIGHT HCO BP Width	: 1.98 lb : 0.5" : 4.1"	MAX O MIN OF

Model	Color Temp.	Lum
57742	3000K	1300
57743	4000K	160

: 24"L x 4.5"W x 0.5"H MAX OH : 0.5" MIN OH : 0.5"

3000K	1300
4000K	1600

FINISHES OPTIONS:

White (WT)

MATERIAL: Aluminum

PMMA Acrylic Diffuser

**RATINGS:** Closets Rated: NEC 410.8 & 410.16 ETL/cETL IP65 Wet Location Energy Star



ADDITIONAL: RATED LIFE: 50,000 Hours OPERATING TEMP: -20° C (-4°), 40°C (104°F) PHOTOMETRIC: Report Found Online

Always consult a qualified electrician before installing any lighting product

